

# CDO Reference Card

Climate Data Operators  
Version 1.6.5  
October 2014

Uwe Schulzweida  
Max-Planck-Institute for Meteorology

<http://code.zmaw.de/projects/cdo>

## Syntax

`cdo` [**Options**] **Operator1** [ **-Operator2** [ **-OperatorN** ] ]

## Options

<b>-a</b>	Generate an absolute time axis
<b>-b</b> <i>&lt;nbits&gt;</i>	Set the number of bits for the output precision (18/116/132/F32/F64 for nc,nc2,nc4,nc4c; F32/F64 for grb2,svr,ext,ieg; 1-24 for grb,grb2) Add L or B for Little or Big endian byteorder
<b>-f</b> <i>&lt;format&gt;</i>	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,svr,ext,ieg
<b>-g</b> <i>&lt;grid&gt;</i>	Grid or file name
<b>-h</b>	Grid names: <b>r</b> <NX> <b>x</b> <NY>, <b>n</b> <N>, <b>gme</b> <NI>
<b>-M</b>	Help information for the operators
<b>-m</b> <i>&lt;missval&gt;</i>	Indicate that the I/O streams have missing values
<b>-M</b>	Set the default missing value (default: -9e+33)
<b>-O</b>	Overwrite existing output file, if checked
<b>-R</b>	Convert GRIB1 data from reduced to regular grid
<b>-r</b>	Generate a relative time axis
<b>-s</b>	Silent mode
<b>-t</b> <i>&lt;table&gt;</i>	Set the parameter table name or file
<b>-V</b>	Print the version number
<b>-v</b>	Print extra details for some operators
<b>-z</b> <i>szip</i>	SZIP compression of GRIB1 records

## Operators

### Information

<b>info</b>	Dataset information listed by parameter identifier
<b>infor</b>	Dataset information listed by parameter name
<b>map</b>	Dataset information and simple map
<b>&lt;operator&gt;</b> <i>ifiles</i>	

<b>sinfo</b>	Short information listed by parameter identifier
<b>sinfor</b>	Short information listed by parameter name
<b>&lt;operator&gt;</b> <i>ifiles</i>	

<b>diff</b>	Compare two datasets listed by parameter id
<b>diffn</b>	Compare two datasets listed by parameter name
<b>&lt;operator&gt;</b> <i>ifile1 ifile2</i>	

<b>npar</b>	Number of parameters
<b>nlevel</b>	Number of levels
<b>nyear</b>	Number of years
<b>nmon</b>	Number of months
<b>ndate</b>	Number of dates
<b>ntime</b>	Number of timesteps
<b>&lt;operator&gt;</b> <i>ifile</i>	

<b>showformat</b>	Show file format
<b>showcode</b>	Show code numbers
<b>showname</b>	Show variable names
<b>showstdname</b>	Show standard names
<b>showlevel</b>	Show levels
<b>showtype</b>	Show GRIB level types
<b>showyear</b>	Show years
<b>showmon</b>	Show months
<b>showdate</b>	Show date information
<b>showtime</b>	Show time information
<b>showtimestam</b>	Show timestamp
<b>&lt;operator&gt;</b> <i>ifile</i>	

<b>pardes</b>	Parameter description
<b>griddes</b>	Grid description
<b>zaxisdes</b>	Z-axis description
<b>vct</b>	Vertical coordinate table
<b>&lt;operator&gt;</b> <i>ifile</i>	

## File operations

<b>copy</b>	Copy datasets
<b>cat</b>	Concatenate datasets
<b>&lt;operator&gt;</b> <i>ifiles ofile</i>	

<b>replace</b>	Replace variables
<b>replace</b> <i>ifile1 ifile2 ofile</i>	

<b>duplicate</b>	Duplicates a dataset
<b>duplicate</b> <i>[,ndup] ifile ofile</i>	

<b>mergegrid</b>	Merge grid
<b>mergegrid</b> <i>ifile1 ifile2 ofile</i>	

<b>merge</b>	Merge datasets with different fields
<b>mergetime</b>	Merge datasets sorted by date and time
<b>&lt;operator&gt;</b> <i>ifiles ofile</i>	

<b>splitcode</b>	Split code numbers
<b>splitparam</b>	Split parameter identifiers
<b>splitname</b>	Split variable names
<b>splitlevel</b>	Split levels
<b>splitgrid</b>	Split grids
<b>splitzaxis</b>	Split z-axes
<b>splittabnum</b>	Split parameter table numbers
<b>&lt;operator&gt;</b> <i>[,swap] ifile obase</i>	

<b>splthour</b>	Split hours
<b>splitday</b>	Split days
<b>splitseas</b>	Split seasons
<b>splityear</b>	Split years
<b>&lt;operator&gt;</b> <i>ifile obase</i>	

<b>splitmon</b>	Split months
<b>splitmon</b> <i>[,format] ifile obase</i>	

<b>splitsel</b>	Split time selection
<b>splitsel</b> <i>[,nsets[,noffset[,nskip]]] ifile obase</i>	

<b>distgrid</b>	Distribute horizontal grid
<b>distgrid</b> <i>[,nx[,ny]] ifile obase</i>	

<b>collgrid</b>	Collect horizontal grid
<b>collgrid</b> <i>[,names] ifiles ofile</i>	

## Selection

<b>select</b>	Select fields
<b>delete</b>	Delete fields
<b>&lt;operator&gt;</b> <i>[,params] ifiles ofile</i>	

<b>selparam</b>	Select parameters by identifier
<b>delparam</b>	Delete parameters by identifier
<b>&lt;operator&gt;</b> <i>[,params] ifile ofile</i>	
<b>selcode</b>	Select parameters by code number
<b>delsecode</b>	Delete parameters by code number
<b>&lt;operator&gt;</b> <i>[,codes] ifile ofile</i>	
<b>selname</b>	Select parameters by name
<b>delsename</b>	Delete parameters by name
<b>&lt;operator&gt;</b> <i>[,names] ifile ofile</i>	
<b>selstdname</b>	Select parameters by standard name
<b>selstdname</b> <i>[,stdnames] ifile ofile</i>	
<b>sellevel</b>	Select levels
<b>sellevel</b> <i>[,levels] ifile ofile</i>	
<b>sellevelidx</b>	Select levels by index
<b>sellevelidx</b> <i>[,levidx] ifile ofile</i>	
<b>selgrid</b>	Select grids
<b>selgrid</b> <i>[,grids] ifile ofile</i>	
<b>selzaxis</b>	Select z-axes
<b>selzaxis</b> <i>[,zaxes] ifile ofile</i>	
<b>seltype</b>	Select GRIB level types
<b>seltype</b> <i>[,types] ifile ofile</i>	
<b>seltabnum</b>	Select parameter table numbers
<b>seltabnum</b> <i>[,tabnums] ifile ofile</i>	

<b>selimestep</b>	Select timesteps
<b>selimestep</b> <i>[,timesteps] ifile ofile</i>	
<b>seltime</b>	Select times
<b>seltime</b> <i>[,times] ifile ofile</i>	
<b>selhour</b>	Select hours
<b>selhour</b> <i>[,hours] ifile ofile</i>	
<b>selday</b>	Select days
<b>selday</b> <i>[,days] ifile ofile</i>	
<b>selmon</b>	Select months
<b>selmon</b> <i>[,months] ifile ofile</i>	
<b>selyear</b>	Select years
<b>selyear</b> <i>[,years] ifile ofile</i>	
<b>selseas</b>	Select seasons
<b>selseas</b> <i>[,seasons] ifile ofile</i>	
<b>seldate</b>	Select dates
<b>seldate</b> <i>[,date1[,date2]] ifile ofile</i>	
<b>selmon</b>	Select single month
<b>selmon</b> <i>[,month[,nts1[,nts2]]] ifile ofile</i>	

<b>sellonlatbox</b>	Select a longitude/latitude box
<b>sellonlatbox</b> <i>[,lon1[,lon2[,lat1[,lat2]]] ifile ofile</i>	
<b>selindexbox</b>	Select an index box
<b>selindexbox</b> <i>[,idx1[,idx2[,idy1[,idy2]]] ifile ofile</i>	

## Conditional selection

<b>ifthen</b>	If then
<b>ifnotthen</b>	If not then
<b>&lt;operator&gt;</b> <i>ifile1 ifile2 ofile</i>	

<b>ifthenelse</b>	If then else
<b>ifthenelse</b> <i>ifile1 ifile2 ifile3 ofile</i>	

<b>ifthenc</b>	If then constant
<b>ifnotthenc</b>	If not then constant
<b>&lt;operator&gt;</b> <i>[,c] ifile ofile</i>	

## Comparison

<b>eq</b>	Equal
<b>ne</b>	Not equal
<b>le</b>	Less equal
<b>lt</b>	Less than
<b>ge</b>	Greater equal
<b>gt</b>	Greater than
<b>&lt;operator&gt;</b> <i>ifile1 ifile2 ofile</i>	

<b>eqc</b>	Equal constant
<b>neq</b>	Not equal constant
<b>lec</b>	Less equal constant
<b>ltc</b>	Less than constant
<b>geq</b>	Greater equal constant
<b>gtc</b>	Greater than constant
<b>&lt;operator&gt;</b> <i>[,c] ifile ofile</i>	

## Modification

<b>setpartabp</b>	Set parameter table
<b>setpartabn</b>	Set parameter table
<b>&lt;operator&gt;</b> <i>[,table] ifile ofile</i>	

<b>setpartab</b>	Set parameter table
<b>setpartab</b> <i>[,table] ifile ofile</i>	
<b>setcode</b>	Set code number
<b>setcode</b> <i>[,code] ifile ofile</i>	

<b>setparam</b>	Set parameter identifier
<b>setparam</b> <i>[,param] ifile ofile</i>	
<b>setname</b>	Set variable name
<b>setname</b> <i>[,name] ifile ofile</i>	

<b>setunit</b>	Set variable unit
<b>setunit</b> <i>[,unit] ifile ofile</i>	
<b>setlevel</b>	Set level
<b>setlevel</b> <i>[,level] ifile ofile</i>	

<b>settype</b>	Set GRIB level type
<b>settype</b> <i>[,type] ifile ofile</i>	

<b>setdate</b>	Set date
<b>setdate</b> <i>[,date] ifile ofile</i>	
<b>settime</b>	Set time of the day
<b>settime</b> <i>[,time] ifile ofile</i>	

<b>setday</b>	Set day
<b>setday</b> <i>[,day] ifile ofile</i>	
<b>setmon</b>	Set month
<b>setmon</b> <i>[,month] ifile ofile</i>	

<b>setyear</b>	Set year
<b>setyear</b> <i>[,year] ifile ofile</i>	
<b>setunits</b>	Set time units
<b>setunits</b> <i>[,units] ifile ofile</i>	

<b>settaxis</b>	Set time axis
<b>settaxis</b> <i>[,date[,time[,inc]]] ifile ofile</i>	
<b>setreftime</b>	Set reference time
<b>setreftime</b> <i>[,date[,time[,units]]] ifile ofile</i>	

<b>setcalendar</b>	Set calendar
<b>setcalendar</b> <i>[,calendar] ifile ofile</i>	
<b>shifttime</b>	Shift timesteps
<b>shifttime</b> <i>[,sval] ifile ofile</i>	

<b>chcode</b>	Change code number
<b>chcode</b> <i>[,oldcode[,newcode[...]]] ifile ofile</i>	
<b>chparam</b>	Change parameter identifier
<b>chparam</b> <i>[,oldparam[,newparam,...]] ifile ofile</i>	

<b>chname</b>	Change variable name
<b>chname</b> <i>[,oldname[,newname,...]] ifile ofile</i>	
<b>chunit</b>	Change variable unit
<b>chunit</b> <i>[,oldunit[,newunit,...]] ifile ofile</i>	

<b>chlevel</b>	Change level
<b>chlevel</b> <i>[,oldlev[,newlev,...]] ifile ofile</i>	
<b>chlevelc</b>	Change level of one code
<b>chlevelc</b> <i>[,code[,oldlev[,newlev]]] ifile ofile</i>	

<b>chlevelv</b>	Change level of one variable
<b>chlevelv</b> <i>[,name[,oldlev[,newlev]]] ifile ofile</i>	

<b>setgrid</b>	Set grid
<b>setgrid</b> <i>[,grid] ifile ofile</i>	
<b>setgridtype</b>	Set grid type
<b>setgridtype</b> <i>[,gridtype] ifile ofile</i>	

<b>setgridarea</b>	Set grid cell area
<b>setgridarea</b> <i>[,gridarea] ifile ofile</i>	
<b>setzaxis</b>	Set z-axis
<b>setzaxis</b> <i>[,zaxis] ifile ofile</i>	

<b>setgatt</b>	Set global attribute
<b>setgatt,attname,attstring ifile ofile</b>	
<b>setgatts</b>	Set global attributes
<b>setgatts,attfile ifile ofile</b>	
<b>invertlat</b>	Invert latitudes
<b>invertlat ifile ofile</b>	
<b>invertlev</b>	Invert levels
<b>invertlev ifile ofile</b>	
<b>maskregion</b>	Mask regions
<b>maskregion,regions ifile ofile</b>	
<b>masklonlatbox</b>	Mask a longitude/latitude box
<b>masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile</b>	
<b>maskindexbox</b>	Mask an index box
<b>maskindexbox,idx1,idx2,idy1,idy2 ifile ofile</b>	
<b>setclonlatbox</b>	Set a longitude/latitude box to constant
<b>setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile</b>	
<b>setcindexbox</b>	Set an index box to constant
<b>setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile</b>	
<b>enlarge</b>	Enlarge fields
<b>enlarge,grid ifile ofile</b>	
<b>setmissval</b>	Set a new missing value
<b>setmissval,newmiss ifile ofile</b>	
<b>setcomiss</b>	Set constant to missing value
<b>setmisstoc</b>	Set missing value to constant
<b>&lt;operator&gt;,&gt;c ifile ofile</b>	
<b>setrtomiss</b>	Set range to missing value
<b>setvrange</b>	Set valid range
<b>&lt;operator&gt;,&gt;rmin,rmax ifile ofile</b>	

## Arithmetic

<b>expr</b>	Evaluate expressions
<b>expr,instr ifile ofile</b>	
<b>exprf</b>	Evaluate expressions from script file
<b>exprf,filename ifile ofile</b>	
<b>abs</b>	Absolute value
<b>int</b>	Integer value
<b>nint</b>	Nearest integer value
<b>pow</b>	Power
<b>sqr</b>	Square
<b>sqrt</b>	Square root
<b>exp</b>	Exponential
<b>ln</b>	Natural logarithm
<b>log10</b>	Base 10 logarithm
<b>sin</b>	Sine
<b>cos</b>	Cosine
<b>tan</b>	Tangent
<b>asin</b>	Arc sine
<b>acos</b>	Arc cosine
<b>reci</b>	Reciprocal value
<b>&lt;operator&gt; ifile ofile</b>	
<b>addc</b>	Add a constant
<b>subc</b>	Subtract a constant
<b>mulc</b>	Multiply with a constant
<b>divc</b>	Divide by a constant
<b>&lt;operator&gt;,&gt;c ifile ofile</b>	
<b>add</b>	Add two fields
<b>sub</b>	Subtract two fields
<b>mul</b>	Multiply two fields
<b>div</b>	Divide two fields
<b>min</b>	Minimum of two fields
<b>max</b>	Maximum of two fields
<b>atan2</b>	Arc tangent of two fields
<b>&lt;operator&gt; ifile1 ifile2 ofile</b>	
<b>monadd</b>	Add monthly time series
<b>monsub</b>	Subtract monthly time series
<b>monmul</b>	Multiply monthly time series
<b>monddiv</b>	Divide monthly time series
<b>&lt;operator&gt; ifile1 ifile2 ofile</b>	

<b>ymonadd</b>	Add multi-year monthly time series
<b>ymonsub</b>	Subtract multi-year monthly time series
<b>ymonmul</b>	Multiply multi-year monthly time series
<b>ymonddiv</b>	Divide multi-year monthly time series
<b>&lt;operator&gt; ifile1 ifile2 ofile</b>	
<b>ydayadd</b>	Add multi-year daily time series
<b>ydaysub</b>	Subtract multi-year daily time series
<b>ydaymul</b>	Multiply multi-year daily time series
<b>ydaydiv</b>	Divide multi-year daily time series
<b>&lt;operator&gt; ifile1 ifile2 ofile</b>	
<b>yhouradd</b>	Add multi-year hourly time series
<b>yhoursub</b>	Subtract multi-year hourly time series
<b>yhourmul</b>	Multiply multi-year hourly time series
<b>yhourdiv</b>	Divide multi-year hourly time series
<b>&lt;operator&gt; ifile1 ifile2 ofile</b>	
<b>muldpm</b>	Multiply with days per month
<b>divdpm</b>	Divide by days per month
<b>muldpy</b>	Multiply with days per year
<b>divdpy</b>	Divide by days per year
<b>&lt;operator&gt; ifile ofile</b>	

## Statistical values

Available statistical functions	<b>&lt;stat&gt;</b>
minimum	<b>min</b>
maximum	<b>max</b>
sum	<b>sum</b>
mean	<b>mean</b>
average	<b>avg</b>
variance	<b>var, var1</b>
standard deviation	<b>std, std1</b>

<b>consects</b>	Consecutive Timesteps
<b>&lt;operator&gt; ifile ofile</b>	
<b>ens&lt;stat&gt;</b>	Statistical values over an ensemble
<b>&lt;operator&gt; ifiles ofile</b>	
<b>enspctl</b>	Ensemble percentiles
<b>enspctl,p ifiles ofile</b>	
<b>ensrkhistspace</b>	Ranked Histogram averaged over time
<b>ensrkhisttime</b>	Ranked Histogram averaged over space
<b>ensroc</b>	Ensemble Receiver Operating characteristics
<b>&lt;operator&gt; obsfile ensfiles ofile</b>	
<b>enscrps</b>	Ensemble CRPS and decomposition
<b>enscrps,rfile ifiles ofilebase</b>	
<b>ensbrs</b>	Ensemble Brier score
<b>ensbrs,x,rfile ifiles ofilebase</b>	
<b>fld&lt;stat&gt;</b>	Statistical values over a field
<b>&lt;operator&gt; ifile ofile</b>	
<b>fldpctl</b>	Field percentiles
<b>fldpctl,p ifile ofile</b>	
<b>zon&lt;stat&gt;</b>	Zonal statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>zonpctl</b>	Zonal percentiles
<b>zonpctl,p ifile ofile</b>	
<b>mer&lt;stat&gt;</b>	Meridional statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>merpctl</b>	Meridional percentiles
<b>merpctl,p ifile ofile</b>	
<b>gridbox&lt;stat&gt;</b>	Statistical values over grid boxes
<b>&lt;operator&gt;,&gt;nx,ny ifile ofile</b>	
<b>vert&lt;stat&gt;</b>	Vertical statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>timsel&lt;stat&gt;</b>	Time range statistical values
<b>&lt;operator&gt;,&gt;nsets[,noffset[,nskip]] ifile ofile</b>	
<b>timselpctl</b>	Time range percentiles
<b>timselpctl,p,nsets[,noffset[,nskip]] ifile1 ifile2 ifile3 ofile</b>	

<b>run&lt;stat&gt;</b>	Running statistical values
<b>&lt;operator&gt;,&gt;nts ifile ofile</b>	
<b>runpctl</b>	Running percentiles
<b>runpctl,p,nts ifile1 ofile</b>	
<b>tim&lt;stat&gt;</b>	Statistical values over all timesteps
<b>&lt;operator&gt; ifile ofile</b>	
<b>timpctl</b>	Time percentiles
<b>timpctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>hour&lt;stat&gt;</b>	Hourly statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>hourpctl</b>	Hourly percentiles
<b>hourpctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>day&lt;stat&gt;</b>	Daily statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>daypctl</b>	Daily percentiles
<b>daypctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>mon&lt;stat&gt;</b>	Monthly statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>monpctl</b>	Monthly percentiles
<b>monpctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>yearmonmean ifile ofile</b>	
<b>year&lt;stat&gt;</b>	Yearly statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>yearpctl</b>	Yearly percentiles
<b>yearpctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>seas&lt;stat&gt;</b>	Seasonal statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>seaspctl</b>	Seasonal percentiles
<b>seaspctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>yhour&lt;stat&gt;</b>	Multi-year hourly statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>yday&lt;stat&gt;</b>	Multi-year daily statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>ydaypctl</b>	Multi-year daily percentiles
<b>ydaypctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>ymon&lt;stat&gt;</b>	Multi-year monthly statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>ymonpctl</b>	Multi-year monthly percentiles
<b>ymonpctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>yseas&lt;stat&gt;</b>	Multi-year seasonal statistical values
<b>&lt;operator&gt; ifile ofile</b>	
<b>yseaspctl</b>	Multi-year seasonal percentiles
<b>yseaspctl,p ifile1 ifile2 ifile3 ofile</b>	
<b>ydrun&lt;stat&gt;</b>	Multi-year daily running statistical values
<b>&lt;operator&gt;,&gt;nts ifile ofile</b>	
<b>ydrunpctl</b>	Multi-year daily running percentiles
<b>ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile</b>	

## Correlation and co.

<b>fldcor</b>	Correlation in grid space
<b>fldcor ifile1 ifile2 ofile</b>	
<b>timcor</b>	Correlation over time
<b>timcor ifile1 ifile2 ofile</b>	
<b>fldcovar</b>	Covariance in grid space
<b>fldcovar ifile1 ifile2 ofile</b>	
<b>timcovar</b>	Covariance over time
<b>timcovar ifile1 ifile2 ofile</b>	

## Regression

<b>regres</b>	Regression
<b>regres ifile ofile</b>	
<b>detrend</b>	Detrend
<b>detrend ifile ofile</b>	
<b>trend</b>	Trend
<b>trend ifile ofile1 ofile2</b>	
<b>subtrend</b>	Subtract trend
<b>subtrend ifile1 ifile2 ifile3 ofile</b>	
<b>eof</b>	Calculate EOFs in spatial or time space
<b>eoftime</b>	Calculate EOFs in time space
<b>eofspatial</b>	Calculate EOFs in spatial space
<b>eof3d</b>	Calculate 3-Dimensional EOFs in time space
<b>&lt;operator&gt;,&gt;neof ifile ofile1 ofile2</b>	
<b>eofcoeff</b>	Calculate principal coefficients of EOFs
<b>eofcoeff ifile1 ifile2 obase</b>	

## EOFs

## Interpolation

<b>remapbil</b>	Bilinear interpolation
<b>remapbic</b>	Bicubic interpolation
<b>remapdis</b>	Distance-weighted average remapping
<b>remapnn</b>	Nearest neighbor remapping
<b>remapcon</b>	First order conservative remapping
<b>remapcon2</b>	Second order conservative remapping
<b>remaplaf</b>	Largest area fraction remapping
<b>&lt;operator&gt;,&gt;grid ifile ofile</b>	
<b>genbil</b>	Generate bilinear interpolation weights
<b>genbic</b>	Generate bicubic interpolation weights
<b>gendis</b>	Generate distance-weighted average remap weights
<b>gennn</b>	Generate nearest neighbor remap weights
<b>gencon</b>	Generate 1st order conservative remap weights
<b>gencon2</b>	Generate 2nd order conservative remap weights
<b>genlaf</b>	Generate largest area fraction remap weights
<b>&lt;operator&gt;,&gt;grid ifile ofile</b>	
<b>remap</b>	SCRIP grid remapping
<b>remap,grid,weights ifile ofile</b>	
<b>remapeta</b>	Remap vertical hybrid level
<b>remapeta,vct[,oro] ifile ofile</b>	
<b>ml2pl</b>	Model to pressure level interpolation
<b>ml2pl,plevels ifile ofile</b>	
<b>ml2hl</b>	Model to height level interpolation
<b>ml2hl,hlevels ifile ofile</b>	
<b>intlevel</b>	Linear level interpolation
<b>intlevel,levels ifile ofile</b>	
<b>intlevel3d</b>	Linear level interpolation onto a 3d vertical coordinate
<b>intlevelx3d</b>	like intlevel3d but with extrapolation
<b>&lt;operator&gt;,&gt;icoordinate ifile1 ifile2 ofile</b>	
<b>inttime</b>	Interpolation between timesteps
<b>inttime,date,time[,inc] ifile ofile</b>	
<b>intntime</b>	Interpolation between timesteps
<b>intntime,n ifile ofile</b>	
<b>intyear</b>	Interpolation between two years
<b>intyear,years ifile1 ifile2 obase</b>	

## Transformation

<b>sp2gp</b>	Spectral to gridpoint
<b>sp2gpl</b>	Spectral to gridpoint (linear)
<b>gp2sp</b>	Gridpoint to spectral
<b>gp2spl</b>	Gridpoint to spectral (linear)
< operator > ifile ofile	
<b>sp2sp</b>	Spectral to spectral
<b>sp2sp, trunc</b>	ifile ofile
<b>dv2uv</b>	Divergence and vorticity to U and V wind
<b>dv2uwl</b>	Divergence and vorticity to U and V wind (linear)
<b>uv2dv</b>	U and V wind to divergence and vorticity
<b>uv2dvl</b>	U and V wind to divergence and vorticity (linear)
<b>dv2ps</b>	D and V to velocity potential and stream function
< operator > ifile ofile	

## Import/Export

<b>import_binary</b>	Import binary data sets
<b>import_binary</b>	ifile ofile
<b>import_cmsaf</b>	Import CM-SAF HDF5 files
<b>import_cmsaf</b>	ifile ofile
<b>import_amr</b>	Import AMR binary files
<b>import_amr</b>	ifile ofile
<b>input</b>	ASCII input
<b>input, grid</b>	ifile
<b>inputsv</b>	SERVICE ASCII input
<b>inputext</b>	EXTRA ASCII input
< operator > ofile	
<b>output</b>	ASCII output
<b>output</b>	ifiles
<b>outputf</b>	Formatted output
<b>outputf, format[, nelem]</b>	ifiles
<b>outputint</b>	Integer output
<b>outputsv</b>	SERVICE ASCII output
<b>outputext</b>	EXTRA ASCII output
< operator > ifiles	

## Miscellaneous

<b>gradsdes</b>	GrADS data descriptor file
<b>gradsdes[, mapversion]</b>	ifile
<b>bandpass</b>	Bandpass filtering
<b>bandpass, fmin, fmax</b>	ifile ofile
<b>lowpass</b>	Lowpass filtering
<b>lowpass, fmax</b>	ifile ofile
<b>highpass</b>	Highpass filtering
<b>highpass, fmin</b>	ifile ofile
<b>gridarea</b>	Grid cell area
<b>gridweights</b>	Grid cell weights
< operator > ifile ofile	
<b>smooth9</b>	9 point smoothing
<b>smooth9</b>	ifile ofile
<b>setvals</b>	Set list of old values to new values
<b>setvals, oldval, newval[, ...]</b>	ifile ofile
<b>setrtoc</b>	Set range to constant
<b>setrtoc, rmin, rmax, c</b>	ifile ofile
<b>setrtoc2</b>	Set range to constant others to constant2
<b>setrtoc2, rmin, rmax, c, c2</b>	ifile ofile
<b>timsort</b>	Sort over the time
<b>timsort</b>	ifile ofile
<b>const</b>	Create a constant field
<b>const, const, grid</b>	ofile
<b>random</b>	Create a field with random numbers
<b>random, grid[, seed]</b>	ofile
<b>stdatm</b>	Create values for pressure and temperature for hydr
<b>stdatm, levels</b>	ofile

<b>rotuvb</b>	Backward rotation
<b>rotuvb, u, v, ...</b>	ifile ofile
<b>mastrfu</b>	Mass stream function
<b>mastrfu</b>	ifile ofile
<b>sealevelpressur</b>	Sea level pressure
<b>sealevelpressure</b>	ifile ofile
<b>adisit</b>	Potential temperature to in-situ temperature
<b>adisit[, pressure]</b>	ifile ofile
<b>adipot</b>	In-situ temperature to potential temperature
<b>adipot</b>	ifile ofile
<b>rhopot</b>	Calculates potential density
<b>rhopot[, pressure]</b>	ifile ofile
<b>histcount</b>	Histogram count
<b>histsum</b>	Histogram sum
<b>histmean</b>	Histogram mean
<b>histfreq</b>	Histogram frequency
< operator >, bounds ifile ofile	
<b>sethalo</b>	Set the left and right bounds of a field
<b>sethalo, lhalo, rhalo</b>	ifile ofile
<b>wct</b>	Windchill temperature
<b>wct</b>	ifile1 ifile2 ofile
<b>fdns</b>	Frost days where no snow index per time period
<b>fdns</b>	ifile1 ifile2 ofile
<b>strwin</b>	Strong wind days index per time period
<b>strwin[, v]</b>	ifile ofile
<b>strbre</b>	Strong breeze days index per time period
<b>strbre</b>	ifile ofile
<b>strgal</b>	Strong gale days index per time period
<b>strgal</b>	ifile ofile
<b>hurr</b>	Hurricane days index per time period
<b>hurr</b>	ifile ofile
<b>fillmiss</b>	Fill missing values
<b>fillmiss</b>	ifile ofile
<b>fillmiss2</b>	Fill missing values
<b>fillmiss2[, maxiter]</b>	ifile ofile

## Climate indices

<b>eca_cdd</b>	Consecutive dry days index per time period
<b>eca_cdd[, R]</b>	ifile ofile
<b>eca_cfd</b>	Consecutive frost days index per time period
<b>eca_cfd</b>	ifile ofile
<b>eca_csu</b>	Consecutive summer days index per time period
<b>eca_csu[, T]</b>	ifile ofile
<b>eca_cwd</b>	Consecutive wet days index per time period
<b>eca_cwd[, R]</b>	ifile ofile
<b>eca_cwdi</b>	Cold wave duration index wrt mean of reference per
<b>eca_cwdi[, nday[, T]]</b>	ifile1 ifile2 ofile
<b>eca_cwfi</b>	Cold-spell days index wrt 10th percentile of referenc
<b>eca_cwfi[, nday]</b>	ifile1 ifile2 ofile
<b>eca_etr</b>	Intra-period extreme temperature range
<b>eca_etr</b>	ifile1 ifile2 ofile
<b>eca_fd</b>	Frost days index per time period
<b>eca_fd</b>	ifile ofile
<b>eca_gsl</b>	Growing season length index
<b>eca_gsl[, nday[, T[, fland]]]</b>	ifile1 ifile2 ofile
<b>eca_hd</b>	Heating degree days per time period
<b>eca_hd[, T1[, T2]]</b>	ifile ofile
<b>eca_hwdi</b>	Heat wave duration index wrt mean of reference per
<b>eca_hwdi[, nday[, T]]</b>	ifile1 ifile2 ofile
<b>eca_hwfi</b>	Warm spell days index wrt 90th percentile of referen
<b>eca_hwfi[, nday]</b>	ifile1 ifile2 ofile

<b>eca_id</b>	Ice days index per time period
<b>eca_id</b>	ifile ofile
<b>eca_r75p</b>	Moderate wet days wrt 75th percentile of reference period
<b>eca_r75p</b>	ifile1 ifile2 ofile
<b>eca_r75ptot</b>	Precipitation percent due to R75p days
<b>eca_r75ptot</b>	ifile1 ifile2 ofile
<b>eca_r90p</b>	Wet days wrt 90th percentile of reference period
<b>eca_r90p</b>	ifile1 ifile2 ofile
<b>eca_r90ptot</b>	Precipitation percent due to R90p days
<b>eca_r90ptot</b>	ifile1 ifile2 ofile
<b>eca_r95p</b>	Very wet days wrt 95th percentile of reference period
<b>eca_r95p</b>	ifile1 ifile2 ofile
<b>eca_r95ptot</b>	Precipitation percent due to R95p days
<b>eca_r95ptot</b>	ifile1 ifile2 ofile
<b>eca_r99p</b>	Extremely wet days wrt 99th percentile of reference period
<b>eca_r99p</b>	ifile1 ifile2 ofile
<b>eca_r99ptot</b>	Precipitation percent due to R99p days
<b>eca_r99ptot</b>	ifile1 ifile2 ofile
<b>eca_pd</b>	Precipitation days index per time period
<b>eca_pd, x</b>	ifile ofile
<b>eca_r10mm</b>	Heavy precipitation days index per time period
<b>eca_r20mm</b>	Very heavy precipitation days index per time period
< operator > ifile ofile	
<b>eca_rr1</b>	Wet days index per time period
<b>eca_rr1[, R]</b>	ifile ofile
<b>eca_rx1day</b>	Highest one day precipitation amount per time period
<b>eca_rx1day[, mode]</b>	ifile ofile
<b>eca_rx5day</b>	Highest five-day precipitation amount per time period
<b>eca_rx5day[, x]</b>	ifile ofile
<b>eca_sdi</b>	Simple daily intensity index per time period
<b>eca_sdi[, R]</b>	ifile ofile
<b>eca_su</b>	Summer days index per time period
<b>eca_su[, T]</b>	ifile ofile
<b>eca_tg10p</b>	Cold days percent wrt 10th percentile of reference period
<b>eca_tg10p</b>	ifile1 ifile2 ofile
<b>eca_tg90p</b>	Warm days percent wrt 90th percentile of reference period
<b>eca_tg90p</b>	ifile1 ifile2 ofile
<b>eca_tn10p</b>	Cold nights percent wrt 10th percentile of reference period
<b>eca_tn10p</b>	ifile1 ifile2 ofile
<b>eca_tn90p</b>	Warm nights percent wrt 90th percentile of reference period
<b>eca_tn90p</b>	ifile1 ifile2 ofile
<b>eca_tr</b>	Tropical nights index per time period
<b>eca_tr[, T]</b>	ifile ofile
<b>eca_tx10p</b>	Very cold days percent wrt 10th percentile of reference period
<b>eca_tx10p</b>	ifile1 ifile2 ofile
<b>eca_tx90p</b>	Very warm days percent wrt 90th percentile of reference period
<b>eca_tx90p</b>	ifile1 ifile2 ofile